

A thick dark grey vertical bar runs down the left side of the page. To its right, several thin, curved lines in black and grey sweep upwards and outwards from the bottom left corner.

GLAZE PLUS

# TECHNICAL DATA SHEET

HYPER CLEAN - TAP & TILE CLEANER

## HYPER CLEAN - TAP & TILE CLEANER



### DESCRIPTION

Fast acting Specialty cleaner designed to remove hard water stains, limescale stains and stubborn soap scum from taps and shower surfaces, designed for regular maintenance.

### FEATURES/BENEFITS

- Ready to Use
- Fast acting
- Easy to use
- Ideal for Interior & Exterior CP fittings and sanitary ware

### AREA OF APPLICATION

- For interior & exterior cleaning applications of CP fittings, sanitary ware and fixture surfaces

### MIXING AND APPLICATION

**Note:** Shake the container well before opening the container for use. Apply on small area to check if there is any adverse reaction with the surface.

Gently shake the container and spray the cleaner on CP fittings, sanitary ware, basins etc. Spread the cleaner with a soft scrubber and leave it for 1-2 minutes. Gently rub and rinse with water to get a glossy shine. For heavy stains, spray over the spots and rub with scrubber to spread followed by rinsing with water. Repeat the cleaning for better results.

## CAUTIONS

Always protect neighboring surfaces including wood, Plywood, landscaping and other surfaces. Acids, no matter how mild, may etch, lighten or remove the coatings from tops surfaces. Repeated acid washing may damage some surfaces.

Do not mix with ammoniated cleaners as harmful fumes may result. Please note that this is a highly acidic based cleaner and hence care should be taken while using the same. Please wear hand gloves, nose cover and wear eye protection before and while using the product. **KEEP OUT OF REACH OF CHILDREN. cleaning all Natural stones without polish and Engineered marble or Quartz.**

**PACKAGING:** 1000 ml & 5000 ml

## COVERAGE

Coverage depends on the nature of surface and intensity of stains on the surface.

## STORAGE

After usage, close the container well sealed to avoid contamination and solvent loss. Store in original container only. Store and use between temperature 4°C and 40°C

## TECHNICAL SUPPORT

9/47 Subhash Nagar, New Delhi 110027 | C401 - Swami Narayan Business Park, Narol Circle Ahmedabad - 382405 | [www.glazeplusitaly.com](http://www.glazeplusitaly.com), [www.glazeplus.in](http://www.glazeplus.in) | [sales@glazeplus.in](mailto:sales@glazeplus.in)  
Helpline no. +918368077496