

A thick dark grey vertical bar runs down the left side of the page. To its right, several thin, curved lines in black and grey sweep upwards and outwards from the bottom left corner.

GLAZE PLUS

# TECHNICAL DATA SHEET

POWER CLEAR - TILE CLEANER

### POWER CLEAR - TILE CLEANER (Heavy Duty)



#### DESCRIPTION

POWER CLEAR-TILE CLEANER is a heavy duty, powerful acid based cleaner, used to remove strong haziness of cementitious grout, adhesives and other hard water deposit from tile surface. It is a highly effective water dilutable cleaner that can be diluted with water to desired proportion before cleaning of the surface.

#### ADVANTAGES

- Concentrated, fast acting
- Can be diluted with water to desired ratio
- Easy to use, reduced odour Provides clean surroundings
- Effective against efflorescence and cement haze

#### APPLICATIONS

- Interior and exteriors, floors and walls, kitchens and batch rooms, heavy trafficked areas, etc  
Dilute 1:10 to 1:20 and apply to the surface.

## SUITABLE SUBSTRATES

Ceramic, vitrified tiles and not for acid sensitive surfaces

## AVAILABLE PACK SIZE

1 Ltr

## SHELF LIFE

12 months if stored in cool and dry area in unopened container. Shelf life is calculated from the month of manufacturing of the product.

## STORAGE AND HANDLING

Store in cool and dry area in unopened original container

## CAUTION

- Store in cool and dry place.
- High temperature or moisture will affect the product.
- Once bottle is opened, then finish it off without keeping for long time.
- This product contains acid based cleaning agent and other chemical additives. Avoid eye contact or prolonged contact with skin.
- Wash thoroughly after handling. If eye contact occurs, flush with water for 15 minutes and consult a physician.
- Do not breathe directly; wear PPE whenever necessary

## COVERAGE

Approximately 25 to 150sft per ltr. Coverage will vary depending on surface nature, deepness of stain and application variances.

## DILUTION RATIO

1. For heavy stain (Like cement hazes, debris, rusting, hard water deposits, etc – Use up to 5 times dilution with water (Upto 1:5 with water)
2. For mild stains – Up to 10 times dilution with water (1:10 with water)

### TECHNICAL SUPPORT

9/47 Subhash Nagar, New Delhi 110027 | C401 - Swami Narayan Business Park, Narol Circle Ahmedabad - 382405 | [www.glazeplusitaly.com](http://www.glazeplusitaly.com), [www.glazeplus.in](http://www.glazeplus.in) | [sales@glazeplus.in](mailto:sales@glazeplus.in)  
Helpline no. +918368077496