

A thick dark grey vertical bar runs down the left side of the page. To its right, several thin, curved lines in black and grey sweep upwards and outwards from the bottom left corner, creating an abstract, organic shape.

GLAZE PLUS

# TECHNICAL DATA SHEET

## SUPER SHINE

## SUPER SHINE



## DESCRIPTION

SUPER SHINE is a solvent-based fast-absorbing wax to polish and enhance the color of natural stone surfaces. It can be easily applied also along edges and surface irregularities. The use of SUPER SHINE enhances the shade and brightness of the treated material. The product provides water and stain-resistant properties making daily maintenance operations easier.

## BENEFITS

- Easy application
- It provides water and stain resistant properties
- It enhances the shade and brightness of the material
- It won't yellow overtime

## USES

- Suitable for indoor and outdoor application.
- Suitable for Marble-concrete agglomerate, Slate, Basaltina - Lava stone, Concrete tiles, Clinker, Terracotta, Granite, Limestone, Marble, Quartzite, Travertine

**COVERAGE:** 15/25 m<sup>2</sup>/l

## APPLICATION EQUIPMENT

- **Product application:** Lambswool applicator, roller, cloth
- **Product polishing:** Hand polisher, single disk machine

## APPLICATION STEPS

### Surface Preparation

- Thoroughly clean the surface making sure to remove all dust and dirt
- Do not apply SUPER SHINE on wet or humid surfaces
- In order to increase product penetration the surface can be heated
- Protect all areas, not to be treated

### Application

Before applying the product is necessary to take a preliminary test on an unexposed area or unused piece of material to check the product's suitability.

- On a clean and dry surface apply a thin and even layer of product using the preferred tool making sure to cover the whole surface.
- After 12 hours, once the layer of wax has dried, start to polish the product.
- The polishing of SUPER SHINE can be done manually if the surface is small using a white pad. If the surface is large we recommend using a single disk machine or a hand polisher with a white pad.
- Polish the product on the surface in circular motions until all residues are gone. In the end, the shine must look even throughout the surface.

### Drying time

The product dries quickly within 5-10 minutes of the application.

## MAINTENANCE PRODUCT

- SUPER SHINE is a perfect shiner and solution for every natural marble and granite marble, concrete surface.

## INSTRUCTIONS AND GUIDELINES

- Do not apply on wet or humid surfaces
- Protect all areas not to be treated
- When applying to recently laid or grouted surfaces, wait for the adhesive or grout to cure completely.

- Before applying the product to the whole surface, it is advisable to test a small, unexposed area or unused piece to check its suitability for use.

### EQUIPMENT CLEANING

At the end of the application, the equipment used can be washed using white spirit.

- **Formula:** Liquid
- **Color:** Clear
- **Odor:** Solvent
- **Specific Gravity A 20°C:** 1510 ± 10g/l

### STORAGE

Keep the container tightly closed and store in a cool, dry place

### SHELF LIFE

24 months in the original, sealed packaging, stored in a cool, dry place

### SAFETY

When applying the product, always use suitable personal protective equipment and follow the product safety data sheet instructions with care.

**PACKAGING:** 1000 ml | 5000 ml

### TECHNICAL SUPPORT

9/47 Subhash Nagar, New Delhi 110027 | C401 - Swami Narayan Business Park, Narol Circle Ahmedabad - 382405 | [www.glazeplusitaly.com](http://www.glazeplusitaly.com), [www.glazeplus.in](http://www.glazeplus.in) | [sales@glazeplus.in](mailto:sales@glazeplus.in)  
Helpline no. +918368077496